

=====
Safety Information
=====

MSDS

[TOP](#)

FSC: 9150

MSDS Date: 04/07/1994

MSDS Num: BWVTL

Submitter: F BT

LIIN: 00F038808

Tech Review: 03/14/1995

Status CD: C

Product ID: DRI-COTE 11.5 OZ AERO

MFN: 01

Article: N

Kit Part: N

Responsible Party

Cage: EO689

Name: BOSTIK INC

Address: BOSTON ST

Box: N/K

City: MIDDLETON

State: MA

Zip: 01949-5000

Country: US

Info Phone Number: 508-777-0100

Emergency Phone Number: 508-777-0100

Preparer's Name: RICHARD G S

Proprietary Ind: N

Review Ind: Y

Published: Y

Special Project CD: N

=====
Preparer
Co. when other than Responsible Party Co.
=====

Preparer

[TOP](#)

Cage: EO689

Assigned Ind: Y

Name: BOSTIK INC

Address: BOSTON ST

Box: N/K

City: MIDDLETON

State: MA

Zip: 01949

=====
Contractor
Summary
=====

Contractor

[TOP](#)

Cage:EO689

Name:BOSTIK INC

Address:BOSTON ST

Box:N/K

City:MIDDLETON

State:MA

Zip:01949

Country:US

Phone:508-777-0100 OR FAX 508-750-7212

Cage:5W425

Name:BOSTIK INC.

Address:211 BOSTON ST

City:MIDDLETON

State:MA

Zip:01949

Country:US

Phone:978-777-0100/800-227-0332

=====
Ingredients
=====

Ingredients

[TOP](#)

Cas: 106-97-8

Code: M

RTECS #: EJ420000

Code: M

Name: BUTANE, N-BUTANE

% Text: 7.5

Environmental Wt:

Other REC Limits: 800 PPM

OSHA PEL: 800 PPM Code: M OSHA STEL: Code:
ACGIH TLV: 1900 MG/CUM Code: M ACGIH N/P STEL: Code:
EPA Rpt Qty: DOT Rpt Qty:

Ozone Depleting Chemical: N

Cas: 75-28-5 Code: M RTECS #: TZ4300000 Code: M
Name: ISOBUTANE, 2-METHYLPROPANE
% Text: 5.3 Environmental Wt:
Other REC Limits: 1000 PPM
OSHA PEL: 1800 MG/CUM Code: M OSHA STEL: Code:
ACGIH TLV: 1000 PPM Code: M ACGIH N/P STEL: Code:
EPA Rpt Qty: DOT Rpt Qty:

Ozone Depleting Chemical: N

Cas: 1330-20-7 Code: M RTECS #: ZE2100000 Code: M
Name: XYLENE, DIMETHYLBENZENE, XYLOL (IARC - GROUP 3) *95-1*
% Text: 1.4 Environmental Wt:
Other REC Limits: 100 PPM
OSHA PEL: 100 PPM Code: M OSHA STEL: Code:
ACGIH TLV: 100 PPM, SKIN Code: M ACGIH N/P STEL: Code:
EPA Rpt Qty: 1000 LBS DOT Rpt 1000 LBS Qty:

Ozone Depleting Chemical: N

Cas: 100-41-4 Code: M RTECS #: DA0700000 Code: M
Name: ETHYL BENZENE *95-1*
% Text: 1.3 Environmental Wt:
Other REC Limits: 100 PPM
OSHA PEL: 435 MG/CUM Code: M OSHA STEL: Code:
ACGIH TLV: 434 MG/CUM Code: M ACGIH N/P STEL: Code:
EPA Rpt Qty: 1000 LBS DOT Rpt 1000 LBS Qty:

Ozone Depleting Chemical: N

Cas: 64742-48-9 Code: M RTECS #: Code: X
Name: ISOPARAFFINIC HYDROCARBONS (NAPHTHA PETROLEUM), HYDROTREATED HEAVY, NON AROMATIC HEAVY NAPHTHA) ISOPAR G
% Text: 37.8 Environmental Wt:
Other REC Limits: N/K
OSHA PEL: N/K Code: M OSHA STEL: Code:
ACGIH TLV: N/K Code: M ACGIH N/P STEL: Code:

EPA Rpt Qty:

DOT Rpt Qty:

Ozone Depleting Chemical: N

Cas: 74-98-6

Code: M

RTECS #: TX2275000

Code: M

Name: PROPANE

% Text: 12.2

Environmental Wt:

Other REC Limits: 1800 MG/CUM

OSHA PEL: 1000 PPM

Code: M

OSHA STEL:

Code:

ACGIH TLV: SIMPLE ASPHYXIAN

Code: M

ACGIH N/P STEL:

Code:

EPA Rpt Qty:

DOT Rpt Qty:

Ozone Depleting Chemical: N

Hazards Data

Health

[TOP](#)

LD50 LC50 Mixture N/P

Route Of Entry Inds – Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds – NTP: NO

IARC: NO

OSHA: NO

Health Hazards Acute And Chronic

HAZARDOUS IF INHALED. EYES/SKIN: IRRITATION.

Explanation Of Carcinogenicity

NONE

Signs And Symptoms Of Overexposure

IRRITATION, DIZZINESS, GIDDINESS, LIGHTHEADEDNESS, DRUNKENNESS, INCOHERENCE, BREATHING DIFFICULTIES

Medical Cond Aggravated By Exposure

ASTHMA, RESPIRATORY DISEASE

First Aid

INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING GIVE CPR. IF BREATHING IS DIFFICULT GIVE OXYGEN. EYES: IMMEDIATELY FLUSH W/PLENTHY OF WATER FOR 15 MINS. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Spill Release Procedures

ELIMINATE ALL SOURCES OF IGNITION. SOAK UP LIQUID W/AN ABSORBENT MATERIAL. PACKAGE ABSORBENT/SOLID PRODUCT IN STEEL DRUMS WHICH ARE IN GOOD CONDITION. THOROUGHLY CLEAN AREA.

Neutralizing Agent

N/K

Waste Disposal Methods

DISPOSE OF IAW/LOCAL, STATE & FEDERAL REGULATIONS. IGNITABLE WASTE D001.

Handling And Storage Precautions

STORE IN A COOL LOCATION BETWEEN 60-80F. STORE AWAY FROM SUNLIGHT & ANY SOURCE OF HEAT, SPARKS/FLAME. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

Other Precautions

USE W/ADEQUATE VENTILATION. AVOID PROLONGED/REPEATED BREATHING OF VAPORS. AVOID SKIN CONTACT. USE IN AN AREA FREE FROM FLAME & SPARKS.

Explosion Hazard Information Fire and [TOP](#)

Flash Point Method: OC

Flash Point:

Flash Point Text: -104F

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: N/K

Upper Limits: N/K

Extinguishing Media

WATER SPRAY, FOAM, DRY CHEMICAL, CO2

Fire Fighting Procedures

USE SCBA & PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard

EXTREMELY FLAMMABLE

Measures Control [TOP](#)

Respiratory Protection

N/K

Ventilation

LOCAL EXHAUST IS PREFERRED TO KEEP VAPORS/PRATICULATES BELOW THE TLV. MECHANICAL AREAWIDE VENTILATION IS ACCEPTABLE.

Protective Gloves

NEOPRENE RUBBER, NITRILE

Eye Protection

SAFETY GLASSES

Other Protective Equipment

SAFETY SHOWER, EYE BATH, IMPERVIOUS PLASTIC GLOVES

Work Hygienic Practices

N/K

Supplemental Safety and Health

N/K

Physical/Chemical Properties [TOP](#)

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: -44-600F

Melt/Freeze Pt:

M.P/F.P Text: N/K

Decomp Temp:

Decomp Text: N/K

Vapor Pres: 22 PSIG

Vapor Density: N/K

Volatile Org Content %:

Spec Gravity: 0.75

VOC Pounds/Gallon:

PH: N/K

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference: N/K

Solubility in Water: 1.3%

Appearance and Odor: THIN MILKY SOLUTION W/A PUNGENT ODOR.

Percent Volatiles by Volume: 93.9

Corrosion Rate: N/K

=====**Data**=====**Reactivity**=====TOP

Stability Indicator: YES

Stability Condition To Avoid: FLAME, SPARKS, SUNLIGHT, HEAT

Materials To Avoid: STRONG OXIDIZERS, ALKALIS, STRONG ACIDS, AMINES

Hazardous Decomposition Products: CO2, CO, WATER VAPOR, OXIDES OF NITROGEN, INNOCUOUS/TOXIC FUMES, HYDROFLUORIC ACID

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization N/K

=====**Toxicological Information**=====TOP

Toxicological Information:N/P

=====**Ecological Information**=====TOP

Ecological: N/P

=====**Transport Information**=====**MSDS**=====TOP

Transport Information:N/P

=====**Regulatory Information**=====TOP

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information: N/P

=====
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.