

Cas: 64742-65-0

M

PY8038501

M

Code:

RTECS #:

Code:

Name: MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT-DEWAXED HEAVY PARAFFINIC (SEVERE SOLVENT-REFINING AND/OR HYDROTREATMENT)

% Text: <100

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

5 MG/M3 (MFR)

Code: M OSHA STEL:

Code:

ACGIH TLV: N/K (FP N)

Code: M ACGIH N/P STEL:

Code:

EPA Rpt Qty:

DOT Rpt Qty:

Ozone Depleting Chemical:

N

Cas: 64742-18-3

M

PY8032001

M

Code:

RTECS #:

Code:

Name: MINERAL OIL, PETROLEUM DISTILLATES, ACID TREATED HEAVY NAPHTHENIC (SEVERE SOLVENT-REFINING AND/OR HYDROTREATMENT)

% Text: N/K

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

300 PPM

Code: M OSHA STEL:

Code:

ACGIH TLV: 300 PPM

Code: M ACGIH N/P STEL:

Code:

EPA Rpt Qty:

DOT Rpt Qty:

Ozone Depleting Chemical:

N

Cas:

X

TD5550000

M

Code:

RTECS #:

Code:

Name: PHOSPHORODITHIOIC ACID, DIALKYL ESTER, ZINC SALT; (ZINC SALT OF DIALKYL DITHIOPHOSPHORIC ACID)

% Text: N/K

Environmental Wt:

Other REC Limits: N/K

OSHA PEL:

N/K (FP N)

Code: M OSHA
STEL:

Code:

ACGIH TLV: N/K (FP N)

Code: M ACGIH N/P
STEL:

Code:

EPA Rpt Qty:

DOT
Rpt
Qty:

Ozone Depleting Chemical:

=====
----- Hazards Data ----- Health

[TOP](#)

LD50 LC50 Mixture

NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds – Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds – NTP: NO

IARC: NO

OSHA: NO

Health Hazards Acute And Chronic

ACUTE: INGEST/EYES/SKIN: NOT NORM EXPECTED TO CAUSE ANY ILL EFTS EXCEPT IN VERY SENSITIVE INDIVIDUALS. INHAL: NO SIGNIFICANT ADVERSE HLTH EFTS ARE EXPECTED TO OCCUR ON SHORT TERM EXPOS. CHRONIC: PRLNG &/RPTD SKIN CONT MAY PRODUCE MILD IRRIT & INFLAMM. PERS W/PREEXISTING SKIN DISORDERS SHOULD AVOID CONTACT.

Explanation Of Carcinogenicity

NOT RELEVANT.

Signs And Symptions Of Overexposure

SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure

NONE SPECIFIED BY MANUFACTURER.

First Aid

INGEST: DO NOT INDUCE VOMITING. CONSULT MD. INHAL: REMOVE FROM CONTAMINATED AREA. APPLY ARTIFICIAL RESPIRATION. IF UNCONSCIOUS CONSULT MD. EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MIN UTES. IF IRRITATION DEVELOPS CONSULT MD. SKIN: WASH WITH SOAP AND WATER. CONSULT MD IF IRRITATION OR INFLAMMATION DEVELOPS. WEAR PROTECTIVE CLOTHING TO AVOID SKIN CONTACT.

Spill Release Procedures

STOP FLOW. WIPE, MOP UP OR ABSORB WITH DIATOMACEOUS EARTH OR OTHER INERT MATERIAL. STORE IN APPROPRIATE CONTAINER FOR DISPOSAL.

Neutralizing Agent

NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods

DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS (FP N).

Handling And Storage Precautions

AVOID STORAGE NEAR OPEN FLAME OR OTHER SOURCES OF IGNITION. EXCESSIVE MISTING MAY CAUSE SLIPPERY FLOORS. PROPER FOOTWEAR REQUIRED.

Other Precautions

WASH OR TAKE SHOWER IF GENERAL CONTACT OCCURS. REMOVE OIL-SOAKED CLOTHING AND LAUNDRY BEFORE REUSE. DISCARD CONTAMINATED LEATHER GLOVES AND SHOES.

Explosion Hazard Information Fire and [TOP](#)

Flash Point Method:

COC

Flash Point:

Flash Point Text: >392F,>200C

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: N/A

Upper Limits: N/A

Extinguishing Media

CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.

Fire Fighting Procedures

WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N). DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PROPER PROTECTIVE EQUIPMENT AND SCBA.

Unusual Fire/Explosion Hazard

SLIGHTLY COMBUST, WHEN HEATED ABOVE FLASH POINT WILL RELEASE FLAMM VAP WHICH CAN BURN IN OPEN/BE EXPLO IN CONFINED SPACES IF EXPOSED TO SOURCE OF IGNITION.

Control Measures [TOP](#)

Respiratory Protection

NOT NORMALLY REQUIRED. USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

Ventilation

SUFFICIENT TO MAINTAIN ATMOSPHERE BELOW TLV LIMIT.

Protective Gloves

IMPERVIOUS GLOVES (FP N).

Eye Protection

ANSI APPRVD CHEM WORKERS GOGGS (FP N).

Other Protective Equipment

CHEMICALLY RESISTANT BOOTS AND APRONS RECOMMENDED.

Work Hygienic Practices

WASH OR TAKE SHOWER IF GENERAL CONTACT OCCURS. REMOVE OIL-SOAKED CLOTHING AND LAUNDER BEFORE REUSE. DISCARD (SUP DAT)

Supplemental Safety and Health

HYGIENE PRACT: CONTAMINATED LEATHER GLOVES AND SHOES.

Physical/Chemical Properties

[TOP](#)

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: >572F,>300C

Melt/Freeze Pt:

M.P/F.P Text: N/K

Decomp Temp:

Decomp Text: N/K

Vapor Pres: <0.01 @20C

Vapor Density: HVR/AIR

Volatile Org Content %:

Spec Gravity: 0.867

VOC Pounds/Gallon:

PH: N/K

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference: LESS THAN ETHER

Solubility in Water: NEGLIGIBLE

Appearance and Odor: AMBER, OILY LIQUID WITH PETROLEUM ODOR

Percent Volatiles by Volume: NIL

Corrosion Rate: N/K

=====
Reactivity Data
=====

[TOP](#)

Stability Indicator:

YES

Stability Condition To Avoid: DO NOT HEAT ABOVE FLASH POINT.

Materials To Avoid: STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: CARBON MONOXIDE AND ASPHYXIANTS.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization NOT RELEVANT.

=====
Toxicological Information
=====

[TOP](#)

Toxicological Information:

N/P

=====
Ecological Information
=====

[TOP](#)

Ecological:

N/P

=====
MSDS Transport
Information
=====

[TOP](#)

Transport Information:

N/P

=====
Regulatory Information
=====

[TOP](#)

Sara Title III Information:

N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

[TOP](#)

Other Information:

N/P

HAZCOM Label

HMIS

[TOP](#)

[Print Labels](#)

Product ID:

GOLDEN GATE AW HYDRAULIC OIL 32, E0040

Cage: 8G974

Assigned IND: N

Company Name:

LUBRICATING SPECIALTIES CO

Street: 8015 PARAMOUNT BLVD

PO Box:

City:

PICO RIVERA

State: CA

Zipcode: 90660

Country: US

Health Emergency Phone:

800-424-9300 (CHEMTREC)

Label Required IND:

Y

Date Of Label Review: 05/03/1995

Status Code: C

MFG Label NO:

Label Date: 05/03/1995

Year Procured:

Origination Code:

G

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection YES
IND:

Health Hazard:

Slight

Contact Hazard: Slight

Fire Hazard:

Slight

Reactivity Hazard: None

Hazard And Precautions

COMBUSTIBLE. ACUTE: NONE SPECIFIED BY MANUFACTURER. CHRONIC: PROLONGED AND/OR REPEATED SKIN CONTACT MAY PRODUCE MILD IRRITATION AND INFLAMMATION.

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.